

Reliability of peripheral arterial tonometry in patients with heart failure, diabetic nephropathy and arterial hypertension.
Weisrock F, Fritschka M, Beckmann S, Litmeier S, Wagner J, Tahirovic E, Radenovic S, Zelenak C, Hashemi D, Busjahn A, Krahn T, Pieske B, Dinh W, Dungen HD. *Vasc Med.* 2017 Aug; 22(4) :292-300.

Heart failure awareness survey in Germany: general knowledge on heart failure remains poor.
Zelenak C, Radenovic S, Musial-Bright L, Tahirovic E, Sacirovic M, Lee CB, Jahandar-Lashki D, Inkrot S, Trippel TD, Busjahn A, Hashemi D, Wachter R, Pankuweit S, Störk S, Pieske B, Edelmann F, Dungen HD. *ESC Heart Fail.* 2017 Aug; 4(3): 224-231.

Prognostic performance of serial in-hospital measurements of copeptin and multiple novel biomarkers among patients with worsening heart failure: results from the MOLITOR study.
Dungen HD, Tscholl V, Obradovic D, Radenovic S, Matic D, Musial Bright L, Tahirovic E, Marx A, Inkrot S, Hashemi D, Veskovic J, Apostolovic S, von Haehling S, Doehner W, Cvetinovic N, Lainscak M, Pieske B, Edelmann F, Trippel T, Loncar G. *ESC Heart Fail.* 2018 Apr; 5(2): 288-296.

CMR Tissue Characterization in Patients with HFmrEF.
Doebelin P, Hashemi D, Tanacli R, Lapinskas T, Gebker R, Stehning C, Motzkus LA, Blum M, Tahirovic E, Dordevic A, Kraft R, Zamani SM, Pieske B, Edelmann F, Dungen HD, Kelle S. *J Clin Med.* 2019 Nov 5; 8(11): 1877.

Range Variability in CMR Feature Tracking Multilayer Strain across Different Stages of Heart Failure.
Tanacli R, Hashemi D, Lapinskas T, Edelmann F, Gebker R, Pedrizzetti G, Schuster A, Nagel E, Pieske B, Dungen HD, Kelle S. *Sci Rep.* 2019 Nov 11; 9(1): 16478.

Body fat phenotypes and treatment response to spironolactone in ambulatory patients with heart failure and preserved ejection fraction: a post-hoc analysis of the Aldo-DHF trial.
Petutschnigg J, Ferreira JP, Holzendorf V, Trippel TD, Hashemi D, Wachter R, Herrmann-Lingen C, Hasenfuß G, Zannad F, Pieske B, Edelmann F. *Eur J Heart Fail.* 2020 Mar; 22(3): 559-561.

Economic impact of heart failure with preserved ejection fraction: Insights from the prospective, randomized placebo-controlled ALDO-DHF trial.
Hashemi D, Dettmann L, Trippel TD, Bobenko A, Gelbrich G, Petutschnigg J, Dungen HD, Wachter R, Hasenfuß G, Pieske B, Edelmann F. *ESC Heart Fail.* 2020 Jun; 7(3): 786-793.

Syncopes and clinical outcome in heart failure patients: results from pooled prospective clinical study data of the competence network heart failure Germany.
Hashemi D, Blum M, Mende M, Störk S, Angermann CE, Pankuweit S, Herzog W, Tahirovic E, Wachter R, Pieske B, F. Edelmann, Duengen HD on behalf of the German Competence Network Heart Failure. *ESC Heart Fail.* 2020 Jun; 7(3): 942-952.

Multilayer myocardial strain improves the diagnosis of heart failure with preserved ejection fraction.
Tanacli R, Hashemi D, Neye M, Motzkus LA, Blum M, Tahirovic E, Dordevic A, Kraft R, Zamani SM, Pieske B, Dungen HD, Kelle S. *ESC Heart Fail.* 2020 Oct; 7(5): 3240-3245. doi: 10.1002/ehf2.12826. Epub 2020 Jun 21. PMID: 32567247; PMCID: PMC7524074.

Variability of Myocardial Strain During Isometric Exercise in Subjects With and Without Heart Failure.
Blum M, Hashemi D, Motzkus LA, Neye M, Dordevic A, Zieschang V, Zamani SM, Lapinskas T, Runte K, Kelm M, Kühne T, Tahirovic E, Edelmann F, Pieske B, Dungen HD, Kelle S. *Front Cardiovasc Med.* 2020 Jun 30; 7:111.

Myocardial deformation assessed among heart failure entities by cardiovascular magnetic resonance imaging.
Hashemi D, Motzkus L, Blum M, Kraft R, Tanacli R, Tahirovic R, Doebelin P, Zieschang V, Zamani SM, Kelm M, Kuehne T, Pieske B, Alogna A, Edelmann F, Duengen HD, Kelle S. *ESC Heart Fail.* 2021 Apr; 8(2): 890-897.

The diagnostic and prognostic value of galectin-3 in patients at risk for heart failure with preserved ejection fraction: results from the DIAST-CHF study.
Trippel TD, Mende M, Dungen HD, Hashemi D, Petutschnigg J, Nolte K, Herrmann-Lingen C, Binder L, Hasenfuss G, Pieske B, Wachter R, Edelmann F. *ESC Heart Fail.* 2021 Apr; 8(2): 829-841.

Influence of baseline parameters on one-year physical, mental, and health-related quality of life in patients with heart failure and preserved ejection fraction.
Fitz J, Edelmann F, Hasenfuß G, Sandek A, Nolte K, Hashemi D, Trippel TD, Wachter R, Herrmann-Lingen C. *ESC Heart Fail.* 2021 Dec; 8(6): 4635-4643.

Plasma Biomarker Profiling in Heart Failure Patients with Preserved Ejection Fraction before and after Spironolactone Treatment: Results from the Aldo-DHF Trial.
Schnelle M, Leha A, Eidizadeh A, Fuhlrott K, Trippel TD, Hashemi D, Toischer K, Wachter R, Herrmann-Lingen C, Hasenfuß G, Pieske B, Binder L, Edelmann F. *Cells.* 2021 Oct 19; 10(10): 2796.

The importance of health-related quality of life at baseline in predicting event-free survival in patients with a cardiovascular risk profile.

Beismann C, Nolte K, Wachter R, Hashemi D, Trippel T, Edelmann F, Meyer T. *Z Psychosom Med Psychother.* 2021 Dec; 67(4): 361–380. [Article in German]

Editorial: Highlights in Cardiovascular Imaging: 2021.

Hashemi D, Kelle S, Bourantas CV, Chandrasekharan KH. *Front Cardiovasc Med.* 2022 Jun 8; 9: 934668.

Evaluation of the HFA-PEFF Score: results from the prospective DIAST-CHF cohort.

Hashemi D, Mende M, Trippel TD, Petutschnigg J, Hasenfuss G, Nolte K, Herrmann–Lingen C, Feuerstein A, Langhammer R, Tschöpe C, Pieske B, Wachter R, Edelmann F. *ESC Heart Fail.* 2022 Dec; 9(6): 4120–4128. doi: 10.1002/ehf2.14131. Epub 2022 Sep 7.

CMR detects decreased myocardial deformation in asymptomatic patients at risk for heart failure.

Hashemi D, Doeblin P, Blum M, Weiss KJ, Schneider M, Korosoglou G, Beyer RE, Pieske B, Edelmann F, Kelle S. *Front Cardiovasc Med.* 2023 Jan 5; 9: 1091768.

Reduced functional capacity is associated with the proportion of impaired myocardial deformation assessed in heart failure patients by CMR.

Hashemi D, Doeblin P, Blum M, Weiss KJ, Schneider M, Beyer R, Pieske B, Duengen HD, Edelmann F, Kelle S. *Front Cardiovasc Med.* 2023 Feb 9; 10: 1038337.

Moving toward gender equity in the cardiology and cardiovascular research workforce in Germany: a report from the German Cardiac Society.

Lerchenmüller C, Zelarayan L, Streckfuss–Bömeke K, Gimenez MR, Schnabel R, Hashemi D, Baldus S, Rudolph TK, Morbach C. *Eur Heart J Open.* 2023 Mar 29; 3(2): oead034.

Virtual cardiovascular magnetic resonance training proves feasible and effective: survey data from international participants of the CMR Academy Berlin, Germany.

Hashemi D, Doeblin P, Weiss KJ, Schneider–Reigbert M, Beyer RE, Else C, Faragli A, Stehning C, Stawowy P, Petersen SE, Bucciarelli–Ducci C, Hays AG, Frey N, Thiele H, Portmann A, Fleck E, Kelle S. *Eur Heart J Imaging Methods Pract.* 2023 Jul 28; 1(1):qyad015. doi: 10.1093/ehjimp/qyad015.

Half-Dose versus Single-Dose Gadobutrol for Extracellular Volume Measurements in Cardiac Magnetic Resonance.

Doeblin P, Steinbeis F, Witzernath M, Hashemi D, Chen W, Weiss KJ, Stawowy P, Kelle S. *J Cardiovasc Dev Dis.* 2023 Jul 26; 10(8): 316.

Quantification of myocardial extracellular volume without blood sampling.

Chen W, Faragli A, Goetze C, Zieschang V, Weiss KJ, Hashemi D, Beyer R, Hafermann L, Stawowy P, Kelle S, Doeblin P. *Eur Heart J Imaging Methods Pract.* 2023 Sep 15; 1(2): qyad022. doi: 10.1093/ehjimp/qyad022.

Noninvasive evaluation of pulmonary artery stiffness in heart failure patients via cardiovascular magnetic resonance.

Hou X., Hashemi D., Erley J, Neye M, Bucius P, Tanacli R, Kühne T, Kelm M, Motzkus L, Blum M, Edelmann F, Kuebler WM, Pieske B, Dungen HD, Schuster A, Stoiber L, Kelle S. *Sci Rep.* 2023 Dec 19; 13(1): 22656. doi: 10.1038/s41598-023-49325-5.

Heart failure with preserved ejection fraction: diagnosis, risk assessment, and treatment.

von Haehling S, Assmus B, Bekfani T, Dworatzek E, Edelmann F, Hashemi D, Hellenkamp K, Kempf T, Raake P, Schütt KA, Wachter R, Schulze PC, Hasenfuss G, Böhm M, Bauersachs J. *Clin Res Cardiol.* 2024 Sep; 113(9): 1287–1305. doi: 10.1007/s00392-024-02396-4.

CMR-based cardiac phenotyping in different forms of heart failure.

Lange T, Backhaus SJ, Schulz A, Hashemi D, Evertz R, Kowallick JT, Hasenfuß G, Kelle S, Schuster A. *Int J Cardiovasc Imaging.* 2024 Jul; 40(7): 1585–1596. doi: 10.1007/s10554-024-03145-4.

Reduced dynamic changes in pulmonary artery compliance during isometric handgrip exercise in patients with heart failure.

Hashemi D, Hou X, Doeblin P, Weiß J, Beyer R, Neye M, Erley J, Bucius P, Tanacli R, Kuehne T, Kelm M, Blum M, Edelmann F, Kuebler WM, Dungen HD, Schuster A, Stoiber L, Kelle S. *Sci Rep.* 2024 Jul 6; 14(1): 15594. doi: 10.1038/s41598-024-66194-8.

A simplified approach to discriminate between healthy subjects and patients with heart failure using cardiac magnetic resonance myocardial deformation imaging.

Witt UE, Müller ML, Beyer RE, Wieditz J, Salem S, Hashemi D, Chen W, Cvetkovic M, Nolden AC, Doeblin P, Blum M, Thiede G, Huppertz A, Steen H, Remppis BA, Falk V, Friede T, Kelle S. *Eur Heart J Imaging Methods Pract.* 2024 Sep 12; 2(3): qyae093. doi: 10.1093/ehjimp/qyae093. PMID: 39318449; PMCID: PMC11421468.